

THE NETHERLANDS
(N E D E R L A N D)**STATEMENT OF VALIDATION**

- Statement number** : RDW-00056606-00
- Subject** : Validation of snow performance and tyre size list relative to snow tyre for use in severe snow conditions according to UN Regulation No. 109.
- Scope** : Tyres retreaded by using either mould cure or pre-cured tread material(s) with the same major features including tread pattern(s) as a new tyre type approved according to UN Regulation No. 117 (according to paragraph 6.4.4.2. of UN Regulation No.109).

RDW, as the competent Administrative Department (Approval Authority) for the Netherlands, declares herewith that the snow grip performance of the selected test tyre type, having the here under mentioned pre-cured Tread Pattern(s), is tested in accordance with Annex 10 and meets the minimum required snow grip performance of article 7.2.1. of UN regulation No. 109. The tyre types mentioned on the attached tyre size list are covered by the test result of this representative tested tyre and considered to all meet the required snow grip performance level.

Identification of the pre-cured Tread Pattern(s) by the tread Manufacturer:
Continental, Conti Tread Hybrid LD3; Conti Tread Hybrid HD3


Related attachments to this statement:

- 1) A copy of the UN Regulation No. 117 certificate(s) and a copy of the appropriate test report(s)
- 2) The list(s) of tyre sizes to which it can be applied for the retreading process clearly identifying the tyres in order to make the relevant link with the list(s) quoted.
- 3) The drawing(s) of the tread pattern(s) covered by the UN Regulation No 117 certificate(s);
- 4) A copy of the last report of the Conformity of Production as required in UN Regulation No. 117 and demonstrating periodically the compliance with the requirement defined in paragraph 9.2.4. or 9.4.4.

Place : Zoetermeer

Date : 15 May 2019

Signature :



R. Kauerz

Statement number: RDW-00056606-00

ANNEX 1

Copy of the UN Regulation No. 117 certificate(s) and a copy of the appropriate test report(s):



ANNEX 2

List(s) of tyre sizes to which it can be applied for the retreading process clearly identifying the tyres in order to make the relevant link with the list(s) quoted:

ContiTread Hybrid HD3/LD3




UN R117 Certificate:	E4-117R-025407-S2WR2
Snow test report:	SNO2013D1121595920
Description of tread pattern:	See attached file
List of applicable tread sizes:	TW190 TW200 TW210 TW220 TW230 TW240
List of applicable tire sizes:	215/75R17.5 225/75R17.5 235/75R17.5 245/70R17.5 265/70R17.5 245/70R19.5 265/70R19.5 285/70R19.5 305/70R19.5





ANNEX 3

Drawing(s) of the tread pattern(s) covered by the UN Regulation No 117 certificate(s):

Description of Tread pattern ContiTread

Manufacturer Name	Continental	Continental	Continental
tyre category	Hybrid LD3	Hybrid LD3	Hybrid LD3
tread width	190	200	210
pitch ratio	1:1	1:1	1:1
Void to fill ratio [%]	15,7	15,3	15,0
Number of main grooves #	4	4	4
Tread depth [mm]	16,0	16,4	16,4
Shoulder groove depth [mm]	16,0	16,4	16,4
Pattern			

Manufacturer Name	Continental	Continental
tyre category	Hybrid HD3	Hybrid HD3
tread width	220	230
pitch ratio	1:1	1:1
Void to fill ratio [%]	15,5	16,1
Number of main grooves #	4	5
Tread depth [mm]	16,4	16,4
Shoulder groove depth [mm]	16,4	16,4
Pattern		



Statement number: RDW-00056606-00

ANNEX 4

Copy of the last report of the Conformity of Production as required in UN Regulation No. 117. and demonstrating periodically the compliance with the requirement defined in paragraph 9.2.4. or 9.4.4.:



Continental Reifen Deutschland GmbH • Jadekamp 30 • 30419 Hannover • Germany

To Whom it May Concern

Central Quality Management
Dr. Mario Bade
Quality Manager Compliance Testing &
Field Complaints
Phone: +49-511-976-31545
E-Mail: mario.bade@conti.de

Hannover, 21.03.2019

Statement of Measures Takes to Ensure Conformity of Production

Ladies and Gentlemen,

Continental Reifen Deutschland GmbH hereby confirms that measures to ensure continued Conformity of Production of pre-cured treads are performed worldwide in accordance with Continental's standard:

Quality Control Tire Functional Testing and Legal Compliance Testing for Commercial Tires
Document No.: HQST-V-MA-F-CF-WI -0159-06
Issue: 02

This process is controlled centrally by Central Quality Management in Hannover.

Since the above-mentioned document contains proprietary knowledge, we keep our documents confidential. The documents can be reviewed and discussed during personal meetings at our plant Stöcken, Hannover.

The above measures include testing of tyres retreaded with applicable pre-cured treads at least once in four years to verify conformance with Annex 10 of UN regulation 109.

Best Regards,



Dr. Frank Brouwer
Manager Product Review



Björn Bolze
Director Quality Management Truck Tires

